

Calculation of Volume Discharged

Outlet #1

meter #	12/1/2008	12/31/2008	Cu Ft
70025595	10780070	10808880	28810
60094832	3454000	3454130	130
Total Cu Ft			28940
			*.95*7.48
			205648

Outlet #2

meter #	12/1/2008	12/31/2008	Cu Ft
60094869	545830	560000	14170
60094831	3557810	3564710	6900
60495152	1086	1086	0
Total Cu Ft			21070
			*.95*7.48
			149723

Calculation of Volume Discharged

Outlet #1

meter #	12/1/2008	12/31/2008	Cu Ft
70025595	10780070	10808880	28810
60094832	3454000	3454130	130
Total Cu Ft			28940
			*.95*7.48
			205648

Outlet #2

meter #	12/1/2008	12/31/2008	Cu Ft
60094869	545830	560000	14170
60094831	3557810	3564710	6900
60495152	1086	1086	0
Total Cu Ft			21070
			*.95*7.48
			149723

CHEMTECH

CHAIN OF CUSTODY RECORD

284 Sheffield Street, Mountainside, NJ 07092
 (908) 789-8900 Fax (908) 789-8922
 www.chemtech.net

CHEM
 QUOT
 COC

CLIENT INFORMATION				CLIENT PROJECT INFORMATION				CL							
REPORT TO BE SENT TO:															
COMPANY: CRAFT TEXTILE PRINTING Co, INC.				PROJECT NAME:				BILL TO:							
ADDRESS: P.O. Box 2761				PROJECT NO.: LOCATION:				ADDRESS:							
CITY: PATERSON STATE: NJ ZIP: 07509-2761				PROJECT MANAGER:				CITY:							
ATTENTION: H.R. CASPARIAN				e-mail:				ATTENTION:							
PHONE: 973-278-3818 FAX: 973-523-8677				PHONE: FAX:											
DATA TURNAROUND INFORMATION				DATA DELIVERABLE INFORMATION											
FAX: _____ DAYS *				<input type="checkbox"/> RESULTS ONLY <input type="checkbox"/> USEPA CLP <input type="checkbox"/> RESULTS + QC <input type="checkbox"/> New York State ASP "B" <input type="checkbox"/> New Jersey REDUCED <input type="checkbox"/> New York State ASP "A" <input type="checkbox"/> New Jersey CLP <input type="checkbox"/> Other _____ <input type="checkbox"/> EDD FORMAT _____											
HARD COPY: _____ DAYS *															
EDD: _____ DAYS *															
PREAPPROVED TAT: <input type="checkbox"/> YES <input type="checkbox"/> NO															
STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS															
CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE		SAMPLE COLLECTION		# OF BOTTLES	PRESERVATIVES							
			COMB	GRAB	DATE	TIME		1	2	3	4	5	6		
1.	OUTLET #1		X		12/2/08	7Am	2	X	X						
2.	OUTLET #2		X		12/2/08	7Am	2	X	X						
3.															
4.															
5.															
6.															
7.															
8.															
9.															
10.															
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER															
RELINQUISHED BY SAMPLER:		DATE/TIME:		RECEIVED BY:		Conditions of bottles or coolers at receipt: <input checked="" type="checkbox"/> Compliant <input type="checkbox"/> Not									
1. H.R. Casparian		12/2/08 Noon		1. [Signature]		MeOH extraction requires an additional 4 oz jar for percent solid.									
RELINQUISHED BY:		DATE/TIME:		RECEIVED BY:		Comments:									
2.				2.											
RELINQUISHED BY:		DATE/TIME:		RECEIVED FOR LAB BY:		Page 1 of 1				SHIPPED VIA: CLIENT: <input type="checkbox"/> HANDLED BY: <input checked="" type="checkbox"/> CHEMTECH: [Signature]					
3. [Signature]		12-2-08		3. CHRIS GREB											

Revision 8/2007

WHITE - CHEMTECH COPY FOR RETURN TO CLIENT YELLOW - CHEMTECH COPY PINK - SAMPLER COC



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908-789-8900 Fax: 908-789-8922

Report of Analysis

Client:	Craft Textile Printing	Date Collected:	12/2/2008
Project:	Permit Renewal 2008	Date Received:	12/2/2008
Client Sample ID:	OUTLET1	SDG No.:	Z5631
Lab Sample ID:	Z5631-01	Matrix:	WATER
% Solids:	0.00		

Analyte	Result	Qualifier	RL	Units	DF	Date Analyzed	Method
TSS	4.00	U	4.00	mg/L	1	12/3/2008	SM2540 D TSS
BOD5	2.00	U	2.00	mg/L	1	12/3/2008	SM5210B BOD5

Comment

10



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908-789-8900 Fax: 908-789-8922

Report of Analysis

Client:	Craft Textile Printing	Date Collected:	12/2/2008
Project:	Permit Renewal 2008	Date Received:	12/2/2008
Client Sample ID:	OUTLET2	SDG No.:	Z5631
Lab Sample ID:	Z5631-02	Matrix:	WATER
% Solids:	0.00		

Analyte	Result	Qualifier	RL	Units	DF	Date Analyzed	Method
TSS	4.00	U	4.00	mg/L	1	12/3/2008	SM2540 D TSS
BOD5	4.600		2.00	mg/L	1	12/3/2008	SM5210B BOD5

Comment

11